

## Works Cited

- Bonds, J. A. (2012), Ultra-low-volume space sprays in mosquito control: a critical review. *Medical and Veterinary Entomology*, 26: 121-130. doi:[10.1111/j.1365-2915.2011.00992.x](https://doi.org/10.1111/j.1365-2915.2011.00992.x)
- Carney, R. M., Husted, S., Jean, C., Glaser, C., & Kramer, V. (2008). Efficacy of Aerial Spraying of Mosquito Adulticide in Reducing Incidence of West Nile Virus, California, 2005. *Emerging Infectious Diseases*, 14(5), 747–754.  
<http://doi.org/10.3201/eid1405.071347>
- Davis, R. S., Peterson, R. K. and Macedo, P. A. (2007), An ecological risk assessment for insecticides used in adult mosquito management. *Integr Environ Assess Manag*, 3: 373-382. doi:[10.1002/ieam.5630030308](https://doi.org/10.1002/ieam.5630030308)
- Dennett, James A. & M. Stark, Pamela & Fredregill, Chris & Debboun, Mustapha. (2017). Efficacy of Deltagard ® , Fyfanon ® , and Evoluer™ 31-66 Against *Culex quinquefasciatus* In Harris County, Texas. *Journal of the American Mosquito Control Association*. 33. 36-42. 10.2987/16-6617.1.
- W Doud, Carl & , Hanley & K, Chilaire & G. Richardson, Alec & Britch, Seth & Xue, Rui-De. (2014). Truck-Mounted Area-Wide Application of Pyriproxyfen Targeting *Aedes aegypti* and *Aedes albopictus* in Northeast Florida 1. *Journal of the American Mosquito Control Association*. 30. 291-297. 10.2987/14-6413.1.
- Farajollahi A, Healy SP, Unlu I, Gaugler R, Fonseca DM (2012) Effectiveness of Ultra-Low Volume Nighttime Applications of an Adulticide against Diurnal *Aedes albopictus*, a Critical Vector of Dengue and Chikungunya Viruses. *PLOS ONE* 7(11): e49181.  
<https://doi.org/10.1371/journal.pone.0049181>
- Geraghty, E. M., Margolis, H. G., Kjemtrup, A., Reisen, W., & Franks, P. (2013). Correlation Between Aerial Insecticide Spraying to Interrupt West Nile Virus Transmission and Emergency Department Visits in Sacramento County, California. *Public Health Reports*, 128(3), 221–230.

- Meisch, Max & L Meek, C & R Brown, J & D Nunez, R. (1997). Field trial efficacy of two formulations of Permanone® against *Culex quinquefasciatus* and *Anopheles quadrimaculatus*. *Journal of the American Mosquito Control Association*. 13. 311-4.
- Miyamoto, J. (1976). Degradation, metabolism and toxicity of synthetic pyrethroids. *Environmental Health Perspectives*, 14, 15–28.
- Peterson, R. K. D., Macedo, P. A., & Davis, R. S. (2006). A Human-Health Risk Assessment for West Nile Virus and Insecticides Used in Mosquito Management. *Environmental Health Perspectives*, 114(3), 366–372. <http://doi.org/10.1289/ehp.8667>
- Preftakes, C. J., Schleier, J. J., & Peterson, R. K. D. (2011). Bystander Exposure to Ultra-Low-Volume Insecticide Applications Used for Adult Mosquito Management. *International Journal of Environmental Research and Public Health*, 8(6), 2142–2152. <http://doi.org/10.3390/ijerph8062142>
- National Center for Emerging and Zoonotic Infectious Diseases (NCEZID). (2018, May 01). Retrieved August 3, 2018, from <https://www.cdc.gov/ncezid/dvbd/vital-signs/texas.html>
- Rinkevich, F., Margotta, J., Pokhrel, V., Walker, T., Vaeth, R., Hoffman, W., . . . Healy, K. (2017). Limited impacts of truck-based ultra-low-volume applications of mosquito adulticides on mortality in honey bees (*Apis mellifera*). *Bulletin of Entomological Research*, 107(6), 724-733. doi:10.1017/S0007485317000347
- Ruktanonchai, D. J., Stonecipher, S., Lindsey, N., McAllister, J., Pillai, S. K., Horiuchi, K., ... Hills, S. L. (2014). Effect of Aerial Insecticide Spraying on West Nile Virus Disease—North-Central Texas, 2012. *The American Journal of Tropical Medicine and Hygiene*, 91(2), 240–245. <http://doi.org/10.4269/ajtmh.14-0072>

Schleier, Jerome J., Peterson, Robert K. D. (Aug 2010). Toxicity and risk of permethrin and naled to non-target insects after adult mosquito management. *Ecotoxicology*. 19(6): 1140–1146. doi: 10.1007/s10646-010-0497-9